Subject Index to Volume 53

Acoustic nerve
  dynamic range adjustment of fibers in, similarity to cochlear nuclei, 940–958
  sensitivity to amplitude modulated sounds in leopard frogs, 446–465
Acoustic stimulation
  monaural contralateral and ipsilateral stimulation in gerbils, single-unit responses in inferior colliculus, 1467–1482
  monaural or binaural acoustic stimulation in cats, responses of neurons in superior colliculus to, 726–745
  of neurons in superior colliculus of cats, model of interaural intensity sensitivity, 746–758
  of ventral nucleus of medial geniculate body in cats, study of tonotopic organization, 309–340
  stimulation azimuth changes, responses of auditory neurons in inferior colliculus of cat to, 43–59
Action potentials
  calcium spikes in mechanosensory neurons of lampreys, 171–182
  patterns of isolated frog muscle spindle in response to sinusoidal stimulation, 76–88
Afferent pathways: *see also* Visual pathways
  oligosynaptic group I afferent input to cat medial gastrocnemius motoneuron pool, distribution of, 497–517
  oligosynaptic group I input to cat medial gastrocnemius motoneurons, determination of afferent fibers which mediate that input, 518–529
  projection from dorsal column nuclei to dorsal mesencephalon in cats, 183–200
  thermal afferent pathways in rats, sensory processing in, 429–434
Aging
  age-related changes in end-plate architecture of functionally diverse muscles, effects of chronic stress and exercise on, 1582–1589
  differential changes in end-plate architecture of functionally diverse muscles during, 1567–1581
Amphibia
  frog locomotor mechanisms, development of, 1453–1466
  frogs, patterns of action potentials in isolated muscle spindle in response to sinusoidal stimulation, 76–88
  frogs, receptor potentials of isolated muscle spindle evoked by sinusoidal stimulation, 60–75
  leopard frog, sensitivity of auditory nervous system to amplitude modulated sounds, 446–465
Animal behavior: *see* Behavior, animal
Animals, newborn
  development of spatial receptive-field organization and orientation selectivity in kitten striate cortex, 1158–1178
  monocular lid suture in rabbits, effects on visual cortical cells, 1535–1550
  unilateral cochlear ablation in gerbils, effects on single-unit responses in inferior colliculus, 1483–1500
Aplysia: see Mollusca
Aspartic acid
  ionophoretic application to ampullary electroreceptors of catfish, induction of afferent facilitation, 853–867
  ionophoretic application to motor cortex of rat inducing changes in calcium and potassium, 1–16
  role in synaptic transmission in inner plexiform layer of rabbit retina, 714–725
  role in synaptic transmission in outer plexiform layer of rabbit retina, 699–713
Auditory cortex
  inhibition and level-tolerant frequency tuning in, study in mustached bat, 1109–1145
Auditory perception: *see also* Sound localization
  interaural time and intensity coding in superior olivary complex and inferior colliculus of echolocating bat, 89–109
Axons
  axonal branching patterns of raphespinal sympathoinhibitory neurons, 759–772
  axonal projection patterns of ventrolateral medullospinal sympathoexcitatory neurons, 1551–1566
  axonal projections of single bulbospinal inspiratory neurons revealed by spike-triggered averaging and antidromic activation, 1590–1603
  conduction velocity of plantaris muscle motor units in cats, relation to recruitment order and muscle-unit properties, 1303–1322
  pathways between giant axons and fast flexor motoneurons in crayfish, segmental differences in, 252–265

Baroreceptors: *see* Pressoreceptors
Bats
  inhibition and level-tolerant frequency tuning in auditory cortex of, 1109–1145
  interaural time and intensity coding in superior olivary complex and inferior colliculus of, 89–109
Behavior, animal
  gill-withdrawal reflex in *Aplysia*, model for study of synaptic transmission at sensory neurons mediating this reflex, 652–669
  gustatory responses of rats, comparison with neuronal responses in cerebral cortical taste area, 1370–1386
  ink release in *Aplysia*, analysis of decreased conductance serotonergic response in ink motoneurons, 590–602
  swimming behavior in *Tritonia*, gating of central pattern generator for, 466–480
Bicuculline
  injection into substantia nigra pars reticulata of monkey and effect on saccadic eye movements, 292–308
  injection into superior colliculus of monkey and effect on saccadic eye movements, 266–291
Birds
  barn owl cochlear nucleus, classification of response patterns and correlation with function, 201–216
Brain
  electric stimulation in *Tritonia* to evoke swimming activity, study of gating of central pattern generator for, 466–480
Brain stem
  raphe magnus inhibition of T_1-T_4 spinoreticular tract

cell responses to visceral and somatic inputs, 773–785
raphespinal sympathoinhibitory neurons, axonal branching patterns and funicular trajectories of, 759–772
α-Bungarotoxin
postsynaptic block of local region in goldfish optic tectum, apparent movement of optic terminals out of that region, 237–251

Calcium
Ca-dependent outward currents in hippocampal CA3 neurons, 1038–1058
Ca spikes and Ca-dependent potassium conductance in mechanosensory neurons of lampreys, 171–182
concentration in interstitial fluid of hippocampal formation during paroxysmal responses, 1098–1108
levels in motor cortex of rat changed by electric stimulation and by amino acid stimulation, 1–16
persistent Ca conductance of layer V neurons from cat sensorimotor cortex in vitro, 153–170
Cell membrane
membrane electrical properties of medial gastrocnemius motoneurons in cats, use in classification of motor-unit type, 1323–1344
Cells, cultured
neuroblastoma cells, white noise analysis of cable properties of, 636–651
Cerebellum
flocculus lesions, effects on optokinetic and vestibuloocular reflexes in rabbits, 481–496
Cerebral cortex: *see also* Auditory cortex; Motor cortex; Somatosensory cortex; Visual cortex
areas activated by thinking, localization of, 1219–1243
taste area neurons in rats, comparison of neural and behavioral responses to gustatory stimuli, 1370–1386
taste area neurons in rats, information processing of taste quality in, 1356–1369
Cerebrovascular circulation
regional cerebral blood flow increased by thinking, 1219–1243
Cobalt
effect on amino-acid induced changes in calcium levels in rat motor cortex, 1–16
Cochlea
unilateral ablation in newborn gerbils, single-unit responses in inferior colliculus, 1483–1500
Cochlear nucleus
dynamic range adjustment in, similarity to auditory-nerve fibers, 940–958
response patterns in barn owl, classification and correlation with function, 201–216
Coelenterata
Cyanea, physiology of bidirectional, excitatory, chemical synapse in, 821–835
Convulsions
investigation by studying electrically provoked paroxysmal discharges in hippocampal formation, 1079–1097
Crustacea
crayfish giant axons and fast flexor motoneurons, segmental differences in pathways between, 252–265
Cysteine
ionophoretic application to ampullary electroreceptors of catfish, induction of afferent facilitation, 853–867

Darkness
rearing of cats in, role in activating critical period in cat visual cortex, 572–589
Diaphragm
motor end-plate of, effects of chronic stress and exercise on age-related changes in architecture of, 1582–1589
motor end-plate of, structural changes with age, 1567–1581

Echolocation
in bats, interaural time and intensity coding in superior olivary complex and inferior colliculus during, 89–109
inhibition and level-tolerant frequency tuning in auditory cortex of mustached bat, 1109–1145
Electric stimulation
antidromic activation of bulbospinal inspiratory neurons in determining their axonal projections, 1590–1603
microexcitable zones in putamen of monkeys, physiological properties, 1401–1416
microexcitable zones in putamen of monkeys, somatotopic organization and their relation to neuronal response properties, 1417–1430
of brain of *Tritonia* to evoke swimming activity, study of gating of central pattern generator for, 466–480
of hippocampal formation causing paroxysmal responses, K^+ and Ca^{2+} concentrations in interstitial fluid during, 1098–1108
of hippocampal formation, sustained potential shifts and paroxysmal discharges in, 1079–1097
of hippocampal pyramidal cells in vitro, use-dependent depression of IPSPs in, 557–571
of mesencephalic locomotor region producing fictive locomotion in cats, IPSPs and EPSPs in α-motoneurons during, 1345–1355
of motor cortex in rats inducing changes in calcium and potassium levels, 1–16
of nucleus raphe magnus causing inhibition of spinoreticular tract neurons in segments T_1-T_4, 773–785
of visual cortical neurons, response dependence on stimulus parameters of spatial phase and spatial frequency, 1244–1265
single intracortical microstimuli to motor cortex evoking muscle facilitation in monkey, 786–804
single intracortical microstimuli to motor cortex producing patterns of facilitation and suppression of antagonist forelimb muscles in awake monkey, 805–820
Electromyography
activity during active and passive movements of wrist in macaques, 217–236
forearm activity in monkeys, corticomotoneuronal postspike facilitation and reciprocal suppression of, 959–978
of flexor carpi radialis motor units in humans during stretch reflex, 1179–1193

of forelimb muscles during unrestrained movement in monkeys, sequential activation of neurons in motor cortex during, 435–445
of long-latency spinal reflexes in humans, 1604–1618
thigh muscle activity during maximum-height jumps by cats, 979–994
Electrophysiology
bursts and recurrences of bursts in spike trains of spontaneously active striate cortex neurons, 926–939
membrane electrical properties and prediction of motor-unit type of medial gastrocnemius motoneurons in cats, 1323–1344
study of projections from mouse vibrissae to cortical barrelfield and its surroundings, 686–698
transient voltage and calcium-dependent outward currents in hippocampal CA3 pyramidal neurons, 1038–1058
white-noise impedance analysis of cable properties of cultured neuroblastoma cells and lamprey giant interneurons, 636–651
Evoked potentials, visual
recorded from visual cortex, in assessment of orientation sensitivity of cats, 1287–1302
Exertion
effects on age-related changes in motor end-plate architecture of functionally diverse muscles, 1582–1589
Extremities
antagonist forelimb muscles, patterns of facilitation and suppression from motor cortex sites in awake monkey, 805–820
forearm EMG activity in monkeys, corticomotoneuronal postspike facilitation and reciprocal suppression of, 959–978
forelimb muscle facilitation evoked by individual corticomotoneuronal cells and by single intracortical microstimuli in macaques, 786–804
hindlimb motoneuron activity, analysis in study of locomotor development in frogs, 1453–1466
hindlimb scratch reflex in spinal turtles, analysis of three forms of movement in, 1501–1516
hindlimb scratch reflex in spinal turtles, central generation of motor patterns in, 1517–1534
imposed foreleg movements in cats, recordings from pericruciate neurons in cortical areas 4 and 3a during, 886–909
thigh muscle activity during maximum-height jumps by cats, 979–994
unrestrained forelimb movement in monkeys, sequential activation of neurons in motor cortex during, 435–445
wrist in macaques, neuronal activity in putamen during active and passive movements of, 217–236
Eye
ocellar information in locusts, processing for control of rhythmic flight, 1201–1218
Eye movements
effects of injections of muscimol or bicucculline into substantia nigra pars reticulata of monkeys on, 292–308
effects of injections of muscimol or bicuculline into superior colliculus of monkeys on, 266–291
horizontal optokinetic and vestibuloocular reflexes in rabbits, effects of unilateral lesions of flocculus on, 481–496
single neurons in frontal eye fields of rhesus monkey discharging before saccades, 603–635
Eyelids
monocular suture in rabbits, effects of this pattern deprivation on visual cortical cells, 1535–1550

Fishes
catfish ampullary electroreceptors, afferent facilitation induced by ionophoretic application of amino acids in, 853–867
catfish outer retina, signal transmission in, 373–389
catfish retina, signal transmission to type-C cells in, 411–428
catfish retina, signal transmission to type-N cells in, 390–410
goldfish optic tectum, apparent movement of optic terminals out of local postsynaptically blocked region in, 237–251
lamprey giant interneurons, white noise analysis of cable properties of, 636–651
lampreys, calcium spike and calcium-dependent potassium conductance in mechanosensory neurons of, 171–182
Flight, animal
flight-initiating interneurons in locusts, 910–925
flight system of locust, neural circuits in, 110–128
locust rhythmic flight, integration of nonphaselocked exteroceptive information in control of, 1201–1218
Forelimb: *see* Extremities
Frogs: *see* Amphibia
Frontal lobe
frontal eye fields in rhesus monkeys, single neurons discharging before saccades, 603–635

GABA
agonist and antagonist substances, effects of injection into substantia nigra pars reticulata of monkeys on saccadic eye movements, 292–308
agonist and antagonist substances, effects of injection into superior colliculus of monkeys on saccadic eye movements, 266–291
effect on amino-acid induced changes in calcium and potassium levels in rat motor cortex, 1–16
Ganglia
cerebral ganglion of *Aplysia*, histaminergic synaptic transmission in, 1016–1037
Gasserian ganglion: *see* Semilunar ganglion
Geniculate body, medial
lesions of, effects on sound localization by rats, 361–372
ventral nucleus of, tonotopic organization in cats, 309–340
Gills
gill-withdrawal reflex in *Aplysia*, model for study of synaptic transmission at sensory neurons mediating this reflex, 652–669
Globus pallidus
functional organization in rhesus monkeys, 530–543
Glucose
glucose-sensitive neurons in rat lateral hypothalamus, selective inhibition by noxious stimuli and morphine, 17–31
Glutamates
ionophoretic application to ampullary electroreceptors

of catfish, induction of afferent facilitation, 853–867
ionophoretic application to motor cortex of rat inducing changes in calcium and potassium, 1–16
role in synaptic transmission in inner plexiform layer of rabbit retina, 714–725
role in synaptic transmission in outer plexiform layer of rabbit retina, 699–713
Golgi tendon organs: *see* Tendons

Hair
mechanoreceptors in locusts, organization and receptive fields of spiking local interneurons receiving inputs from, 1147–1157
Head
head tilt and responses of central vestibular neurons, frequency dependence of neural response vectors, 1444–1452
Hearing: *see also* Acoustic stimulation
auditory signals to trigger key-press movement in monkeys, neuronal activity in supplementary and precentral motor cortex in response to, 142–152
interaural time and intensity coding in superior olivary complex and inferior colliculus of echolocating bat, 89–109
Heat
radiant heat stimulation causing selective inhibition of glucose-sensitive neurons in rat lateral hypothalamus, 17–31
Hippocampus
CA3 pyramidal neurons, transient voltage and calcium-dependent outward currents in, 1038–1058
K^+ and Ca^{2+} concentrations in interstitial fluid of, measurement during paroxysmal responses to electric stimulation, 1098–1108
pyramidal cells of rat in vitro, use-dependent depression of IPSPs in, 557–571
sustained potential shifts and paroxysmal discharges in, 1079–1087
Histamine
histaminergic synaptic transmission in cerebral ganglion of *Aplysia*, 1016–1037
Homocysteine
ionophoretic application to ampullary electroreceptors of catfish, induction of afferent facilitation, 853–867
Hydrochloric acid
taste information coding in cerebral cortical taste area of rats, 1356–1369
6-Hydroxydopamine
induction of dopaminergic amacrine cell lesions in cat retina, alterations in retinal ganglion cell receptive field after, 1431–1443
Hypothalamus
glucose-sensitive neurons in, selective inhibition by noxious stimuli and morphine in rats, 17–31

Inferior colliculus
interaural time and intensity coding in, study in echolocating bat, 89–109
low-frequency neurons in, responses to changes in stimulus azimuth in cats, 43–59
single-unit responses to acoustic stimulation in newborn gerbils after unilateral cochlear ablation, 1483–1500
single-unit responses to contralateral and ipsilateral acoustic stimulation in gerbils, different consequences of, 1467–1482
Insects
locust flight system, neural circuits in, 110–128
locust rhythmic flight, integration of nonphaselocked exteroceptive information in control of, 1201–1218
locusts, flight-initiating interneurons in, 910–925
locusts, organization of receptive fields of spiking local interneurons with inputs from hair afferents in, 1147–1157
Interneurons
flight-initiating interneurons in locusts, 910–925
flight interneurons in locust, study of, 110–128
giant interneurons of lamprey, white noise analysis of cable properties of, 636–651
role in generation of swim motor pattern in *Tritonia*, 466–480
spiking local interneurons in locusts with inputs from hair afferents, organization of receptive fields of, 1147–1157
spiking local interneurons with inputs from hair afferents in locusts, organization of receptive fields of, 1147–1157
Ionophoresis
application of amino acids to ampullary electroreceptors of catfish, induction of afferent facilitation, 853–867
application of amino acids to rat motor cortex, effect on calcium and potassium levels, 1–16

Jellyfish: *see* Coelenterata

Light
moving light and dark bar visual stimuli, complementarity of responses of simple cells and B-cells in cat striate cortex to, 670–685
Locomotion
fictive locomotion initiated by stimulation of mesencephalic locomotor region in cats, production of EPSPs and IPSPs in α-motoneurons during, 1345–1355
in premammillary cats, impulse rates and sensitivity to stretch of soleus muscle spindle afferents during, 341–360
locomotor mechanisms, development in frogs, 1453–1466
Locusts: *see* Insects

Mammillary bodies
premammillary cats, impulse rates and sensitivity to stretch of soleus muscle spindle afferents during locomotion in, 341–360
Manganese
effect on amino-acid induced changes in calcium levels in rat motor cortex, 1–16
Mechanoreceptors: *see also* Neuromuscular spindles; Vibrissae
action potential patterns of isolated frog muscle spindle in response to sinusoidal stimulation, 76–88
cutaneous mechanoreceptor afferent fibers in spinal cord, analysis of responses of dorsal horn neurons to random stimulation of, 995–1015

Golgi tendon organs, responses to unfused contractions of single motor units, 32–42
hair afferents in locusts, organization and receptive fields of spiking local interneurons, 1147–1157
receptor potentials of isolated frog muscle spindle evoked by sinudoidal stimulation, 60–75
Medulla oblongata
single bulbospinal inspiratory neurons, axonal projections revealed by spike-triggered averaging and antidromic activation, 1590–1603
ventrolateral medullospinal sympathoexcitatory neurons, axonal projection patterns of, 1551–1566
Membrane potentials: *see also* Action potentials; Evoked potentials, visual; Postsynaptic potentials
field potentials blocked by α-bungarotoxin in goldfish optic tectum, effects on synpatic stability, 237–251
stretch receptor potentials of isolated frog muscle spindle evoked by sinusoidal stimulation, 60–75
sustained potential shifts and paroxysmal discharges in hippocampal formation, 1079–1097
Mesencephalon
dorsal mesencephalon in cat, projection from dorsal column nuclei to, 183–200
locomotor region of, stimulation producing fictive locomotion in cats and EPSPs and IPSPs in α-motoneurons, 1345–1355
torus semicircularis of leopard frog, sensitivity to amplitude modulated sounds, 446–465
Metamorphosis, biological
development of locomotor mechanisms in frogs, 1453–1466
Models, theoretical
of cortical complex-cell receptive field, 1266–1286
Mollusca
Aplysia cerebral ganglion, histaminergic synaptic transmission in, 1016–1037
Aplysia ink motoneurons, analysis of decreased conductance serotonergic response in, 590–602
Aplysia sensory neurons mediating gill-withdrawal reflex, model for study of synaptic transmission, 652–669
Tritonia swimming behavior, gating of central pattern generator for, 466–480
Morphine
selective inhibition of glucose-sensitive neurons in rat lateral hypothalamus, 17–31
Motoneurons
corticomotoneuronal postspike facilitation and reciprocal suppression of EMG activity in monkey forearm, 959–978
EPSPs and IPSPs in, production during fictive locomotion initiated by stimulation of mesencephalic locomotor region in cats, 1345–1355
fast flexor motoneurons in crayfish, segmental differences in pathways between giant axons and, 252–265
hindlimb motoneuron activity, analysis in study of locomotor development in frogs, 1453–1466
individual corticomotoneuronal cells evoking muscle facilitation in macaques, 786–804
ink motoneurons of *Aplysia*, analysis of decreased conductance serotonergic response in, 590–602
medial gastrocnemius motoneuron pool in cat, distribution of oligosynaptic group I input to, 497–517
medial gastrocnemius motoneurons in cat, membrane electrical properties and prediction of motor-unit type of, 1323–1344
recruitment order in plantaris muscle of cats, relation to axonal conduction velocity and muscle-unit properties, 1303–1322
Motor activity
motor responses to sensory signals of two different modalities, neuronal responses in supplementary and precentral motor cortex of monkeys to instructions for, 129–141
motor responses to triggering vs. nontriggering sensory signals, neuronal responses in supplementary and precentral motor cortex of monkeys to, 142–152
role of putamen in, 1401–1416
Motor cortex
Ca^{2+} and K^+ changes induced by electric stimulation and by amino acid stimulation in rats, 1–16
corticomotoneuronal postspike facilitation and reciprocal suppression of EMG activity in monkey forearm, 959–978
individual corticomotoneuronal cells and single intracortical microstimuli evoking muscle facilitation in macaques, 786–804
neurons of, sequential activation during unrestrained forelimb movement in monkeys, 434–445
pericruciate neurons in areas 4 and 3a, recordings during imposed foreleg movements in awake cats, 886–909
sensorimotor cortex layer V neurons in vitro, properties of persistent sodium conductance and calcium conductance of, 153–170
single intracortical microstimuli producing patterns of facilitation and suppression of antagonist forelimb muscles in awake monkey, 805–820
supplementary and precentral areas in monkeys, neuronal responses to instructions determining motor responses to sensory signals of two different modalities, 129–141
supplementary and precentral areas in monkeys, neuronal responses to movement triggering vs. nontriggering sensory signals, 142–152
Motor end-plate: *see* Neuromuscular junction
Movement: *see also* Flight, animal; Locomotion; Motor activity
active and passive movements of wrist in macaques, activity of neurons in putamen during, 217–236
head tilt and responses of central vestibular neurons, frequency dependence of neural response vectors, 1444–1452
imposed foreleg movements in awake cats, recordings from pericruciate neurons in cortical areas 4 and 3a during, 886–909
in relation to functional organization of globus pallidus and subthalamic nucleus in rhesus monkeys, 530–543
key-press movement in monkeys in response to sensory signals of two different modalities, neuronal activity in supplementary and precentral motor cortex in response to instructions for, 129–141
key-press movement triggered or not-triggered by sensory signals in monkeys, neuronal activity in supplementary and precentral motor cortex in response to, 142–152
maximum-height jumps by cats, thigh muscle activity during, 979–994

three forms in scratch reflex in spinal turtle, analysis of, 1501–1516
three forms in scratch reflex in spinal turtle, central generation of motor patterns, 1517–1534
unrestrained forelimb movement in monkeys, sequential activation of neurons in motor cortex during, 435–445

Muscimol
injection into substantia nigra pars reticulata of monkey and effect on saccadic eye movements, 292–308
injection into superior colliculus of monkey and effect on saccadic eye movements, 266–291

Muscle contraction
unfused contractions of single motor units, responses of Golgi tendon organs to, 32–42

Muscle spindles: *see* Neuromuscular spindles

Muscles
antagonist forelimb muscles, patterns of facilitation and suppression from motor cortex sites in awake monkey, 805–820
extensor digitorum longus and soleus, effects of chronic stress and exercise on age-related changes in motor end-plate architecture, 1582–1589
extensor digitorum longus and soleus, motor end-plate structural changes with age in, 1567–1581
facilitation evoked by individual corticomotoneuronal cells and by single intracortical microstimuli in macaques, 786–804
flexor carpi radialis motor units in humans, firing patterns during stretch reflex, 1179–1193
flexor carpi radialis motor units in humans, voluntary and reflexive recruitment of, 1194–1200
forearm EMG activity in monkeys, corticomotoneuronal postspike facilitation and reciprocal suppression of, 959–978
medial gastrocnemius motoneuron pool in cat, distribution of oligosynaptic group I input to, 497–517
medial gastrocnemius motoneurons in cat, determination of afferent fibers mediating oligosynaptic group I input to, 518–529
medial gastrocnemius motoneurons in cat, membrane electrical properties and prediction of motor-unit type of, 1323–1344
plantaris motor units in cat, relationship among recruitment order, axonal conduction velocity, and muscle-unit properties of, 1303–1322
single motor units, responses of Golgi tendon organs to unfused contractions of, 32–42
soleus spindle afferents during locomotion in premammillary cats, impulse rates and sensitivity to stretch of, 341–360
splenius muscles of cat, muscle-fiber compartmentalization in, 868–885
thigh muscle activity during maximum-height jumps by cats, 979–994

Naloxone
effects on responses of glucose-sensitive neurons in rat lateral hypothalamus to noxious stimuli and morphine, 17–31

Neural conduction
axonal conduction velocity of plantaris muscle motor units in cats, relation to recruitment order and muscle-unit properties, 1303–1322
calcium-dependent potassium conductance in mechanosensory neurons of lampreys, 171–182
decreased conductance serotonergic response in *Aplysia* ink motoneurons, analysis of, 590–602
persistent sodium conductance and calcium conductance of layer V neurons from cat sensorimotor cortex in vitro, 153–170

Neural pathways: *see also* Afferent pathways
between giant axons and fast flexor motoneurons in crayfish, segmental differences in, 252–265
medullary raphespinal neurons projecting to intermediolateral nucleus, axonal branching patterns and funicular trajectories of, 759–772
neural circuits in flight system of locust, 110–128

Neural transmission
histaminergic synaptic transmission in cerebral ganglion of *Aplysia*, 1016–1037
signal transmission in outer retina of catfish, 373–389
signal transmission to type-C cells in catfish retina, 411–428
signal transmission to type-N cells in catfish retina, 390–410
synaptic transmission at sensory neurons mediating gill-withdrawal reflex in *Aplysia*, 652–669
synaptic transmission in inner plexiform layer of rabbit retina, roles of aspartate and glutamate in, 714–725
synaptic transmission in outer plexiform layer of rabbit retina, roles of aspartate and glutamate in, 699–713

Neuroblastoma
cultured cells of, white noise analysis of cable properties of, 636–651

Neuromuscular junction
motor end-plate structural changes with age, 1567–1581
motor end-plate structural changes with age, effects of chronic stress and exercise on, 1582–1589

Neuromuscular spindles
isolated frog spindles, action potential patterns in response to sinusoidal stimulation, 76–88
isolated frog spindles, receptor potentials evoked by sinusoidal stimulation, 60–75
soleus spindle afferents during locomotion in premammillary cats, impulse rates and sensitivity to stretch of, 341–360

Neurons: *see also* Axons; Interneurons; Motoneurons; Neurons, afferent; Synapses
glucose-sensitive neurons in rat lateral hypothalamus, selective inhibition by noxious stimuli and morphine, 17–31
hippocampal CA3 pyramidal neurons, transient voltage and calcium-dependent outward currents in, 1038–1058
in supplementary and precentral motor cortex areas in monkeys, responses to instructions determining motor responses to sensory signals of two different modalities, 129–141
in supplementary and precentral motor cortex areas in monkeys, responses to movement triggering vs. nontriggering sensory signals, 142–152
layer V neurons from cat sensorimotor cortex, properties of persistent sodium conductance and calcium conductance in vitro, 153–170
low-frequency neurons in inferior colliculus of cat, responses to changes in stimulation azimuth, 43–59

mechanosensory neurons of lampreys, calcium spike and calcium-dependent potassium conductance in, 171–182
near central canal in sacral spinal cord of cats, visceral and somatic afferent convergence onto, 1059–1078
of auditory cortex of mustached bat, inhibition and level-tolerant frequency tuning of, 1109–1145
of cerebral cortical taste area in rats, comparison of neural and behavioral responses to gustatory stimuli, 1370–1386
of cerebral cortical taste area in rats, information processing of taste quality, 1356–1369
of cochlear nucleus of barn owl, classification of response patterns and correlation with function, 201–216
of dorsal column nuclei, projection to dorsal mesencephalon in cats, 183–200
of dorsal spinal cord, dynamic nonlinear analysis of responses to random stimulation of single type I cutaneous input fibers, 995–1015
of lateral part of posterior group of thalamic nuclei, tonotopic organization in cats, 836–851
of lateral vestibular nucleus, responses to head tilt in cats, 1444–1452
of motor cortex, sequential activation during unrestrained forelimb movement in monkeys, 435–445
of putamen in macaques, activity during active and passive movements of wrist, 217–236
of spinoreticular tract in segments T_1-T_4, raphe magnus inhibition of their responses to visceral and somatic inputs, 773–785
of striate cortex in kittens, functional organization of, 1158–1178
of superior colliculus in cats, model of interaural intensity sensitivity to acoustic stimuli, 746–758
of superior colliculus in cats, responses to monaural or binaural acoustic stimuli, 726–745
of visual cortex, complex-cell receptive-field model of, 1266–1286
of visual cortex of rabbits with monocular lid suture, response properties of, 1535–1550
of visual cortex, response dependence on stimulus parameters of spatial phase and spatial frequency in, 1244–1265
pericruciate neurons in cortical areas 4 and 3a, recordings during imposed foreleg movements in awake cats, 886–909
raphespinal sympathoinhibitory neurons, axonal branching patterns and funicular trajectories of, 759–772
response properties of microexcitable zones in putamen in relation to their somatotopic organization, 1417–1430
sensory neurons mediating gill-withdrawal reflex in *Aplysia*, use as model for study of synaptic transmission, 652–669
simple cells and B-cells in cat striate cortex, complementarity of responses to moving light and dark bars, 670–685
single bulbospinal inspiratory neurons, axonal projections revealed by spike-triggered averaging and antidromic activation, 1590–1603
single neurons in frontal eye fields of rhesus monkey discharging before saccades, 603–635
single-unit responses in inferior colliculus to acoustic stimulation in newborn gerbils, effects of unilateral cochlear ablation, 1483–1500
single-unit responses in inferior colliculus to contralateral and ipsilateral acoustic stimulation in gerbils, different consequences of, 1467–1482
spontaneously active neurons of striate cortex, bursts and recurrences of bursts in spike trains of, 926–939
synaptically connected neurons in jellyfish, physiology of, 821–835
trigeminal nociceptive neurons, somatotopic distribution in ventrobasal complex of cat thalamus, 1387–1400
ventrolateral medullospinal sympathoexcitatory neurons, axonal projection patterns of, 1551–1566

Neurons, afferent
afferent facilitation by ionophoretic application of amino acids in ampullary electroreceptors of catfish, 853–867
cold-receptive afferent fibers in trigeminal ganglion and caudal trigeminal nucleus of rats, sensory processing in, 429–434
cutaneous mechanoreceptor afferents in spinal cord, analysis of responses of dorsal horn neurons to random stimulation of, 995–1015
hair afferents with inputs to spiking local interneurons in locusts, organization of receptive fields of, 1147–1157
soleus muscle spindle afferents in premammillary cats, impulse rates and sensitivity to stretch during locomotion in, 341–360
visceral and somatic afferent convergence onto neurons near central canal in sacral spinal cord of cats, 1059–1078
which mediate oligosynaptic group I input to cat medial gastrocnemius motoneurons, determination of, 518–529

Neuroregulators
of synaptic transmission in outer plexiform layer of rabbit retina, identification of, 699–713

Noise
white noise analysis of cable properties of cultured neuroblastoma cells and lamprey giant interneurons, 636–651

Olivary complex, superior
interaural time and intensity coding in, study in echolocating bat, 89–109

Optic tectum: *see* Superior colliculus

Pain
noxious stimuli causing selective inhibition of glucose-sensitive neurons in rat lateral hypothalamus, 17–31

Picrotoxin
effect on postsynaptic potentials in flight system of locust, 110–128

Postsynaptic potentials
EPSPs and IPSPs in α-motoneurons produced during fictive locomotion by stimulation of mesencephalic locomotor region, 1345–1355
in flight system of locust, 110–128
of oligosynaptic group I inputs to cat medial gastrocnemius motoneuron pool, 497–517, 518–529
use-dependent depression of IPSPs in rat hippocampal pyramidal cells in vitro, 557–571

Potassium
calcium-dependent potassium conductance in mechanosensory neurons of lampreys, 171–182
concentration in interstitial fluid of hippocampal formation during paroxysmal responses, 1098–1108
levels in mortex cortex of rat changed by electric stimulation and by amino acid stimulation, 1–16
Pressoreceptors
baroreceptor reflex activation, responses of ventrolateral medullospinal sympathoexcitatory neurons to, 1551–1566
Putamen
microexcitable zones in, physiological properties in monkeys, 1401–1416
microexcitable zones in, somatopic organization in monkeys and their relation to neuronal response properties, 1417–1430
neuronal activity during active and passive movements of wrist in macaques, 217–236

Quinine
taste information coding in cerebral cortical taste area of rats, 1356–1369

Raphe nuclei
electric stimulation of, causing inhibition of spinoreticular tract neurons in segments T_1-T_4, 773–785
Receptors, sensory: *see also* Mechanoreceptors; Pressoreceptors
acousticolateralis receptors in catfish, afferent facilitation induced by ionophoretic application of amino acids in, 853–867
cold-receptive afferent fibers in trigeminal ganglion and caudal trigeminal nucleus of rats, sensory processing in, 429–434
exteroceptive systems for control of rhythmic flight in locusts, 1201–1218
trigeminal nociceptive neurons, somatotopic distribution in ventrobasal complex of cat thalamus, 1387–1400
Receptors, stretch: *see* Mechanoreceptors
Recruitment
recruitment order of plantaris muscle motor units in cats, relation to axonal conduction velocity and muscle-unit properties, 1303–1322
voluntary and reflexive recruitment of flexor carpi radialis motor units in humans, 1194–1200
Reflex
baroreceptor reflex activation, responses of ventrolateral medullospinal sympathoexcitatory neurons to, 1551–1566
gill-withdrawal reflex in *Aplysia*, model for study of synaptic transmission at sensory neurons mediating this reflex, 652–669
horizontal optokinetic and vestibuloocular reflexes in rabbits, effects of unilateral lesions of flocculus on, 481–496
long-latency spinal reflexes in humans, 1604–1618
scratch reflex in spinal turtle, analysis of three forms of movement in, 1501–1516
scratch reflex in spinal turtle, central generation of motor patterns for three forms of movement in, 1517–1534
Reflex, stretch
firing patterns of human flexor carpi radialis motor units during, 1179–1193
reflexive recruitment of flexor carpi radialis motor units in humans, 1194–1200
Reptiles
spinal turtle, analysis of three forms of movement in scratch reflex in, 1501–1516
spinal turtle, central generation of motor patterns for three forms of movement in, 1517–1534
Respiration
single bulbospinal inspiratory neurons, axonal projections revealed by spike-triggered averaging and antidromic activation, 1590–1603
Retina
dopaminergic amacrine cell lesions induced by 6-hydroxydopamine in, alterations in retinal ganglion cell receptive field after, 1431–1443
inner plexiform layer in rabbit, roles of aspartate and glutamate in synaptic transmission in, 714–725
outer plexiform layer in rabbit, roles of aspartate and glutamate in synaptic transmission in, 699–713
outer retina in catfish, signal transmission in, 373–389
type-C cells in catfish, signal transmission to, 411–428
type-N cells in catfish, signal transmission to, 390–410
Retinal ganglion cells
receptive field alterations after 6-hydroxydopamine induced dopaminergic amacrine cell lesions, 1431–1443
Y-cell inputs to lateral suprasylvian cortex in cat and corticotectal projection, 544–556

Saccades: *see* Eye movements
Semicircular canals
ampullary electroreceptors in catfish, afferent facilitation induced by ionophoretic application of amino acids in, 853–867
Semilunar ganglion
cold-receptive afferent fibers in, sensory processing in, 429–434
Serotonin
causing decreased conductance response in *Aplysia* ink motoneurons, 590–602
Skin
mechanoreceptor afferent fibers in spinal cord, analysis of responses of dorsal norn neurons to random stimulation of, 995–1015
Sodium
persistent Na conductance of layer V neurons from cat sensorimotor cortex in vitro, 153–170
Sodium chloride
taste information coding in cerebral cortical taste area of rats, 1356–1369
Somatosensory cortex
barrelfield receiving projections from vibrissae in mice, electrophysiological and anatomical study of, 686–698
pericruciate neurons in areas 3a, recordings during imposed foreleg movements in awake cats, 886–909
sensorimotor cortex layer V neurons in vitro, properties of persistent sodium conductance and calcium conductance of, 153–170
Sound
amplitude modulated sounds, sensitivity of acoustic nerve and midbrain torus semicircularis of leopard frog to, 446–465

azimuth of, responses of low-frequency neurons in inferior colliculus of cat to variations in, 43–59
dynamic range adjustment in auditory nerve and cochlear nuclei, similarity of, 940–958
frequency-tuning of neurons in auditory cortex of echolocating bats, 1109–1145
intensity coding in superior olivary complex and inferior colliculus of echolocating bat, 89–109
monaural tonal stimulation of contralateral and ipsilateral ears in gerbils, single-unit responses in inferior colliculus to, 1467–1482
tonotopic organization in lateral part of posterior group of thalamic nuclei in cats, 836–851
tonotopic organization in ventral nucleus of medial geniculate body in cats, 309–340
Sound localization: *see also* Echolocation
effects of medial geniculate lesions in rats on, 361–372
Spinal cord: *see also* Spinal nerve roots
central canal in sacral cord of cats, visceral and somatic afferent convergence onto nearby neurons, 1059–1078
central generation of motor patterns for three forms of movement in scratch reflex in spinal turtle, 1517–1534
dorsal column nuclei in cats, projection to dorsal mesencephalon, 183–200
dorsal horn neurons, dynamic nonlinear analysis of responses to random stimulation of single type 1 cutaneous input fibers, 995–1015
giant interneurons in lamprey, white noise analysis of cable properties of, 636–651
long-latency spinal reflexes in humans, 1604–1618
mechanosensory neurons in, calcium spike and calcium-dependent potassium conductance in lamprey, 171–182
α-motoneuron EPSPs and IPSPs produced during fictive locomotion initiated by stimulation of mesencephalic locomotor region in cats, 1345–1355
raphespinal sympathoinhibitory neurons, axonal branching patterns and funicular trajectories of, 759–772
single bulbospinal inspiratory neurons, axonal projections revealed by spike-triggered averaging and antidromic activation, 1590–1603
spinal turtle, analyses of three forms of movement in scratch reflex in, 1501–1516
spinal turtle, central generation of motor patterns in, 1517–1534
spinoreticular tract, raphe magnus inhibition of T_1-T_4 cell responses to visceral and somatic inputs in cats, 773–785
ventrolateral medullospinal sympathoexcitatory neurons, axonal projection patterns of, 1551–1566
Spinal nerve roots
hindlimb motoneuron activity in, analysis in study of locomotor development in frogs, 1453–1466
Stress
effects on age-related changes in motor end-plate architecture of functionally diverse muscles, 1582–1589
Stretch receptors: *see* Mechanoreceptors
Striate cortex: *see* Visual cortex
Substantia nigra
injection of muscimol or bicuculline into, effects on saccadic eye movements in monkeys, 292–308
Subthalamic nucleus
functional organization in rhesus monkeys, 530–543
Sucrose
taste information coding in cerebral cortical taste area of rats, 1356–1369
Superior colliculus
corticotectal projection of Y-cell inputs to cat lateral suprasylvian visual area, 544–556
injection of muscimol or bicuculline into, effects on saccadic eye movements in monkeys, 266–291
neuronal responses to acoustic stimuli in cats, model of interaural intensity sensitivity, 746–758
neuronal responses to monaural or binaural acoustic stimuli in cats, 726–745
optic tectum of goldfish, apparent movement of optic terminals out of local presynaptically blocked region in, 237–251
Superior olivary complex: *see* Olivary complex, superior
Swimming
in *Tritonia*, gating of central pattern generator for, 466–480
Synapses
bidirectional, excitatory, chemical synapse in jellyfish, physiology of, 821–835
histaminergic synaptic transmission in cerebral ganglion of *Aplysia*, 1016–1037
local postsynaptically blocked region in goldfish optic tectum, apparent movement of optic terminals out of, 237–251
synaptic transmission at sensory neurons mediating gill-withdrawal reflex in *Aplysia*, 652–669
synaptic transmission in inner plexiform layer of rabbit retina, roles of aspartate and glutamate in, 714–725
synaptic transmission in outer plexiform layer of rabbit retina, roles of aspartate and glutamate in, 699–713

Taste
gustatory responses of cortical neurons in rats, comparison of neural and behavioral responses, 1370–1386
taste quality information processing by cortical neurons in rats, 1356–1369
Tectum mesencephali: *see* Mesencephalon
Temperature: *see also* Heat
thermal afferent pathways in rats, sensory processing in, 429–434
Tendons
Golgi tendon organs, responses to unfused contractions of single motor units, 32–42
Tetrodotoxin
effect on Ca^{2+} and K^+ changes induced in rat motor cortex by electric stimulation or by amino acid stimulation, 1–16
Thalamic nuclei
lateral part of posterior group of, tonotopic organization in cats, 836–851
nucleus ventralis posteromedialis, somatotopic distribution of trigeminal nociceptive neurons in, 1387–1400
ventral nucleus of medial geniculate body in cats, tonotopic organization of, 309–340
Thalamus
ventrobasal complex in cats, somatotopic distribution of trigeminal nociceptive neurons in, 1387–1400

Thinking
localization of cortical areas activated by, 1219–1243
Time
interaural time coding in superior olivary complex and inferior colliculus of echolocating bat, 89–109
temporal processing of amplitude modulated sounds in auditory nervous system of leopard frogs, 446–465
Touch
vibrotactile signals to withhold key-press movement in monkeys, neuronal activity in supplementary and precentral motor cortex in response to, 142–152
Trigeminal caudal nucleus
cold-receptive afferent fibers in, sensory processing in, 429–434
Trigeminal ganglion: *see* Semilunar ganglion
Trigeminal nerve
trigeminal nociceptive neurons, somatotopic distribution in ventrobasal complex of cat thalamus, 1387–1400
Turtles: *see* Reptiles

Vestibular nuclei
neuronal response vectors to head tilt in cats, frequency dependence of, 1444–1452
Vibrissae
projections to mouse cortical barrelfield and its surroundings, electrophysiological and anatomical study of, 686–698
Vision
moving light and dark bars, complementarity of responses of simple cells and B-cells in cat striate cortex to, 670–685
pattern deprivation by monocular lid suture in rabbits, effects on visual cortical cells, 1535–1550
rearing of cats in total darkness, role in activating critical period in visual cortex, 572–589
Visual cortex
activation of plasticity in, role of rearing cats in total darkness on, 572–589
complex-cell receptive-field model of, 1266–1286
lateral suprasylvian area in cats, Y-cell inputs and corticotectal projection, 544–556
neuronal response properties in rabbits with pattern deprivation from monocular lid suture, 1535–1550
simple- and complex-cell response dependences on stimulation parameters, 1244–1265
simple cells and B-cells in, complementarity of responses to moving light and dark bars, 670–685
spatial receptive-field organization and orientation selectivity in, development in kittens, 1158–1178
spontaneously active neurons of, bursts and recurrences of bursts in spike trains of, 926–939
visually evoked potentials recorded from, in assessment of orientation sensitivity of cats, 1287–1302
Visual evoked response: *see* Evoked potentials, visual
Visual pathways
retinal Y-cell inputs to cat lateral suprasylvian visual area and corticotectal projection, 544–556
Visual receptive fields
complex-cell receptive-field model, 1266–1286
frontal eye fields in rhesus monkeys, single neurons discharging before saccades, 603–635
of simple cells and B-cells in cat striate cortex, complementarity of responses to moving light and dark bars, 670–685
of visual cortical cells in rabbits with monocular lid suture, 1535–1550
retinal ganglion cell receptive field alterations after 6-hydroxydopamine induced dopaminergic amacrine cell lesions in cats, 1431–1443
spatial receptive-field organization and orientation selectivity in striate cortex, development in kittens, 1158–1178

Author Index to Volume 53

Aitkin, L. M., 43
Aitken, P. G., 1079
Alexander, G. E., 1401, 1417
Alger, B. E., 557
Ammons, W. S., 773
Anderson, P. A. V., 821

Barmack, N. H., 481
Barman, S. M., 1551
Bawa, P., 1179, 1194
Bedingham, W., 886
Berger, A. J., 1590
Berkley, M. A., 1287
Berson, D. M., 544
Bicker, G., 910
Binder, M. D., 497, 518
Bishop, P. O., 670
Bloomfield, S. A., 699, 714
Braastad, B. O., 1158
Bruce, C. J., 603
Burrows, M., 1147
Byrne, J. H., 590, 652

Calancie, B., 1179, 1194
Calford, M. D., 43
Capranica, R. R., 446
Chan, J. C. K., 726, 746
Chapman, C. D., 773
Cheney, P. D., 786, 805, 959
Christen, W. G., 572, 636
Chubb, M. C., 153
Cooper, L. L., 183
Costalupes, J. A., 940
Craig, A. D., 995
Crill, W. E., 153
Crutcher, M. D., 530

Darton, K., 1609
Davies, S. N., 429
Dekin, M. S., 466
DeLong, M. R., 530, 1401, 1417
Dick, T. E., 1590
Dostrovsky, J. O., 183
Dowling, J. E., 699, 714

Faden, J. S., 1303
Farel, P. B., 1453
Fetz, E. E., 786, 805
Foreman, R. D., 773
Friberg, L., 1219

Gebber, G. L., 759, 1551
Georgopoulos, A. P., 530
Getting, P. A., 466
Giacchino, J. L., 1079, 1098
Gibson, D. J., 940
Gingrich, K. J., 652
Goldberg, M. E., 603
Goldsmith, G. E., 429

Hagiwara, G., 252
Harnischfeger, G., 89
Heggelund, P., 1158
Heinemann, U., 1
Hellon, R. F., 429
Hikosaka, O., 266, 292
Hirsch, J. A., 726, 746
Hochstein, S., 1244, 1266
Honda, C. N., 1059

Imig, T. J., 309, 836

Jami, L., 32
Jordan, L. M., 1345
Judge, P. W., 361

Kasser, R. J., 959
Kato, T., 1356, 1370
Kawamura, Y., 1356, 1370
Keifer, J., 1501, 1517
Kelly, J. B., 361
Kitzes, L. M., 1467, 1483
Koyama, N., 1387
Kurata, K., 129, 142
Kwan, H. C., 435

Legéndy, C. R., 926
Leonard, J. P., 171
Liles, S. L., 217
Lippold, O. C. J., 1609

MacGillis, D. R. R., 868
Maguire, G. W., 1431
Maske, R., 670
Matsumoto, N., 1387
McCaman, R. E., 1016
McCarren, M., 557
McNamara, J. O., 1079
Miller, A. D., 1444
Miller, L. A., 252
Mitchell, D., 429
Moore, L. E., 636
Morel, A., 309, 836
Morrison, S. F., 759
Mortin, L. I., 1501, 1517
Mower, G. D., 572
Munson, J. B., 1323
Murphy, E. H., 1535
Murphy, J. T., 435
Murphy, P. R., 341

Nagai, T., 853
Naka, K.-I., 373, 390, 411
Neuweiler, G., 89
Nussbaumer, J. C., 686

Obara, S., 853
Oomura, Y., 17

Palmer, S. S., 805
Parsons, D. W., 910
Pearson, K. G., 110, 910
Petit, J., 32
Pettigrew, J. D., 43
Pettorossi, V. E., 481
Phillips, S. C., 43
Powers, R. K., 497, 518
Proske, U., 32
Pumain, R., 1

Querfurth, H., 60, 76

Reichert, H., 1201
Reid, S. A., 1323
Reye, D. N., 910
Richmond, F. J. R., 868
Robertson, G. A., 1517
Robertson, R. M., 110
Roland, P. E., 1219
Rose, G. J., 446
Rosenheimer, J. L., 1567, 1582
Rowell, C. H. F., 1201

Sakuranaga, M., 373, 390, 411
Salcman, M., 926
Schlegel, P., 89
Schmidt, J. T., 237
Schor, R. H., 1444
Schwindt, P. C., 153
Scott, D. A., 868
Semple, M. N., 1467, 1483
Shahani, M., 1609
Shahani, U., 1609
Shefchyk, S. J., 1345
Siegler, M. V. S., 1147
Sikdar, S. K., 17
Smith, D. O., 1567
Smith, E. L., III, 1431
Somjen, G. G., 1079, 1098
Spitzer, H., 1244, 1266
Stafstrom, C. E., 153
Stehouwer, D. J., 1453
Stein, P. S. G., 1501, 1517
Stein, R. B., 341
Suga, N., 1109
Sullivan, W. E., 201
Sypert, G. W., 1323

Tanji, J., 129, 142
Tapper, D. N., 995
Tatton, W. G., 886
Taylor, J., 341
Timerick, S. J. B., 1444
Tomko, D. L., 1444
Tootle, J. S., 1287
Tsuzuki, K., 1109

van der Loos, H., 686

Walsh, J. P., 590
Weight, F. F., 1038
Weinreich, D., 1016
Wickelgren, W. O., 171
Wine, J. J., 252
Wise, L. Z., 43
Wong, Y. C., 435
Wurtz, R. H., 266, 292

Yamamoto, T., 1356, 1370
Yamane, S., 670
Yin, T. C. T., 726, 746
Yokota, T., 1387
Young, E. D., 940
Yuyama, N., 1356, 1370

Zajac, F. E., 979, 1303
Zbicz, K. L., 1038
Zengel, J. E., 1323
Zytnicki, D., 32